## Overview

## HPE Smart Array SR Gen10 Controllers

for HPE ProLiant DL, ML and Apollo Servers

The HPE Smart Array SR Gen10 Controllers for the ProLiant DL and ML Gen10 Servers and Apollo Gen10 Servers, supporting 12Gb/s SAS and PCIe 3.0, are ideal for maximizing performance while supporting advanced RAID levels with up to 4 GB flash-backed write cache (FBWC). These controllers operate in Mixed Mode which combines RAID and HBA/JBOD operations simultaneously. The Smart Array SR Gen10 controller portfolio is able to support up to 24 internally attached drives on a single controller allowing connection to SAS or SATA drives without having to use the SAS Expander card. The Smart Array SR Gen10 Controllers also offer encryption for data-at-rest on any drive with HPE Smart Array SR Secure Encryption. The HPE Smart Array SR Gen10 controller portfolio provides enterprise-class storage performance, reliability, security and efficiency needed to address your evolving data storage needs.



HPE Smart Array P408i-a SR Gen10 Ctrlr (804331-B21 & 869081-B21)



HPE Smart Array P408i-p SR Gen10 Ctrlr (830824-B21)



HPE Smart Array P816i-a SR Gen10 Ctrlr (804338-B21 & 869083-B21)



HPE Smart Array E208i-p SR

Gen10 Ctrlr (804394-B21)



HPE Smart Array E208i-a SR Gen10 Ctrlr (804326-B21 & 869079-B21)



HPE Smart Array E208e-p SR

Gen10 Ctrlr (804398-B21)



HPE Smart Array P408e-p SR Gen10 Ctrlr (804405-B21)

# Models

HPE Smart Array P816i-a SR Gen10 (16 Internal Lanes/4GB Cache/SmartCache) 12G SAS Modular Controller 804338-B21 HPE Smart Array P816i-a SR Gen10 (16 Int Lanes/4GB Cache/SmartCache) 12G SAS Modular LH Controller 869083-B21 HPE Smart Array P408i-a SR Gen10 (8 Internal Lanes/2GB Cache) 12G SAS Modular Controller 804331-B21 HPE Smart Array P408i-a SR Gen10 (8 Internal Lanes/2GB Cache) 12G SAS Modular LH Controller 869081-B21 HPE Smart Array P408i-p SR Gen10 (8 Internal Lanes/2GB Cache) 12G SAS PCIe Plug-in Controller 830824-B21 HPE Smart Array P408e-p SR Gen10 (8 External Lanes/4GB Cache) 12G SAS PCIe Plug-in Controller 804405-B21 HPE Smart Array E208e-p SR Gen10 (8 External Lanes/No Cache) 12G SAS PCIe Plug-in Controller 804398-B21 HPE Smart Array E208i-p SR Gen10 (8 Internal Lanes/No Cache) 12G SAS PCIe Plug-in Controller 804394-B21 HPE Smart Array E208i-a SR Gen10 (8 Internal Lanes/No Cache) 12G SAS Modular LH Controller 869079-B21 HPE Smart Array E208i-a SR Gen10 (8 Internal Lanes/No Cache) 12G SAS Modular Controller 804326-B21 **Notes:** An HPE Smart Storage energy pack is required with Performance RAID controllers. See below for energy pack options.



HPE ProLiant ML350 Gen10

Compatibility						
Server Support Table						
SKU	804326-B21	869079-B21	804394-B21	804398-B21	804405-B21	804331-B21
Description	HPE Smart Array E208i-a SR Gen10 (8 Internal Lanes/No Cache) 12G SAS Modular Controller	HPE Smart Array E208i-a SR Gen10 (8 Internal Lanes/No Cache) 12G SAS Modular LH Controller	HPE Smart Array E208i-p SR Gen10 (8 Internal Lanes/No Cache) 12G SAS PCIe Plug-in Controller	HPE Smart Array E208e-p SR Gen10 (8 External Lanes/No Cache) 12G SAS PCIe Plug-in Controller	HPE Smart Array P408e-p SR Gen10 (8 External Lanes/4GB Cache) 12G SAS PCIe Plug-in Controller	HPE Smart Array P408i-a SR Gen10 (8 Internal Lanes/2GB Cache) 12G SAS Modular Controller
HPE Apollo 2000-XL170r Gen10			$\checkmark$	$\checkmark$	✓	
HPE Apollo 2000-XL190r Gen10			✓	$\checkmark$	✓	
HPE Apollo 4510-XL450 Gen10	$\checkmark$		$\checkmark$	$\checkmark$	✓	$\checkmark$
HPE Apollo 6000-XL230k Gen10			$\checkmark$	$\checkmark$		
HPE Apollo 6500-XL270D Gen10						$\checkmark$
HPE DL325 Gen10		$\checkmark$		$\checkmark$	$\checkmark$	
HPE ProLiant DL360 Gen10	✓	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
HPE ProLiant DL380 Gen10	$\checkmark$		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
HPE ProLiant DL385 Gen10	$\checkmark$		$\checkmark$	$\checkmark$	✓	✓
HPE ProLiant DL560 Gen10		$\checkmark$	$\checkmark$	$\checkmark$	✓	
HPE ProLiant DL580 Gen10			$\checkmark$	$\checkmark$	✓	
HPE ProLiant Microserver Gen10			$\checkmark$			
HPE ProLiant ML110 Gen10			✓	✓	✓	

✓


 $\checkmark$ 

✓

✓

✓

Server Support Table				
SKU	869081-B21	830824-B21	804338-821	869083-B21
Description	HPE Smart Array P408i-a SR Gen10 (8 Internal Lanes/2GB Cache) 12G SAS Modular LH Controller	HPE Smart Array P408i- p SR Gen10 (8 Internal Lanes/2GB Cache) 12G SAS PCIe Plug-in Controller	HPE Smart Array P816i-a SR Gen10 (16 Internal Lanes/4GB Cache/SmartCache) 12G SAS Modular Controller	HPE Smart Array P816i-a SR Gen10 (16 Int Lanes/4GB Cache/SmartCache) 12G SAS Modular LH Controller
HPE Apollo 2000-XL170r Gen10		✓		
HPE Apollo 2000-XL190r Gen10	-	✓		
HPE Apollo 4510-XL450 Gen10	_	✓		
HPE Apollo 6000-XL230k Gen10	_	✓		
HPE Apollo 6500-XL270D Gen10	-	✓	✓	
HPE ProLiantDL325 Gen10	$\checkmark$			✓
HPE ProLiant DL360 Gen10	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
HPE ProLiant DL380 Gen10		$\checkmark$	$\checkmark$	
HPE ProLiant DL385 Gen10		$\checkmark$	$\checkmark$	
HPE ProLiant DL560 Gen10	$\checkmark$	$\checkmark$		✓
HPE ProLiant DL580 Gen10		✓		
HPE ProLiant Microserver Gen10				
HPE ProLiant ML110 Gen10		✓		
HPE ProLiant ML350 Gen10		✓	$\checkmark$	



## Warranty

The warranty for this device is 3 years parts only. **Warranty Upgrade Options** 

- Response Upgrade on-site response from next business day to same day 4 hours.
- Coverage Extend hours of coverage from 9 hours x 5 days to 24 hours x 7 days.
- Duration Select duration of coverage for a period of 1, 3, or 5 years.
- Warranty upgrade options can come in the form of HPE Services operational, which are sold at the HPE System level to which this product attaches.

XXXXX-X21 is SKU designation formed by a common six digit part number and a -X21 suffix that identifies a SKU that is available across multiple server family lines. Refer to the table below to find the SKU suffix that applies to the specific server product line this option can be ordered with.

Standard Features Table for Performance RAID Controllers

Product	P408i-a SR	P816i-a SR	P408i-p SR	P408e-p SR
SKU	804331-B21&	804338-B21&	830824-B21	804405-B21
	869081-B21	869083-B21		
Form factor: Type-a	✓	✓		
modular controller				
Form factor: Standard			$\checkmark$	$\checkmark$
PCle plug-in controller				
Internal SAS lanes	8	16	8	
External SAS lanes				8
Ports/Connectors	2	4	2	2
	(mini-SAS)	(mini-SAS)	(mini-SAS)	(mini-SAS HD)
Cache size (FBWC)	2 GB	4 GB	2 GB	4 GB
Read ahead caching	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Write-back caching	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Storage protocol: 12G SAS	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Storage protocol: 6G SATA	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
I/O slot: PCI Express 3.0	x8 link	x8 link	x8 link	x8 link
Maximum physical	238	238	238	238
drives *(with SAS Expander)				
Maximum logical drives	64	64	64	64
RAID:0/1/5/6/10/50/60/	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
1TP/10TP				
Mixed Mode	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
(RAID & HBA/JBOD)				
Boot mode: UEFI	✓	✓	✓	✓
Boot mode: Legacy	✓	✓	✓	✓
SSD Accelerator	Smart Path	Smart Path	Smart Path	Smart Path
HPE Smart Array SR	Optional	Optional	Optional	Optional
Secure Encryption (license)				
SSD Caching	Optional	Enabled	Optional	Optional
	(SmartCache)	(SmartCache)	(SmartCache)	(SmartCache)
FIPS 140-2 Level 1	✓	✓	✓	$\checkmark$
HPE OneView Support	✓	✓	✓	✓
Kit contents				
			Controller,	Controller,
	Controller,	Controller,	documentation	documentation
	documentation	documentation	information card,	information card,
	information card,	information card,	warranty statement, battery required card,	warranty statement, battery required card,
	warranty statement, and battery required	warranty statement, and battery required	controller backup	controller backup powe
	card.	card.	power cable, and low-	cable, and low-profile
			profile bracket.	bracket.

Standard Features Table for Ess	ential RAID Controllers			
Product	E208i-a SR	E208i-p SR	E208e-p SR	
SKU	804326-B21	804394-B21	804398-B21	
	869079-B21			
Form factor: Type-a	✓			
modular controller				
Form factor: Standard		✓	$\checkmark$	
plug-in controller				
Internal lanes	8	8		
External lanes			8	
Ports/Connectors	2	2	2	
	(mini-SAS)	(mini-SAS)	(mini-SAS HD)	
Cache size (FBWC)			· 	
Read ahead caching				
Write-back caching				
Storage protocol: 12G SAS	$\checkmark$	$\checkmark$	$\checkmark$	
Storage protocol: 6G SATA	$\checkmark$	$\checkmark$	$\checkmark$	
I/O slot: PCI Express 3.0	x8 link	x8 link	x8 link	
Maximum physical	238	238	238	
drives (up to)				
aximum logical 64		64	64	
drives				
RAID: 0/1/5/10	/1/5/10 🗸		$\checkmark$	
4ixed mode ✓		$\checkmark$	✓	
(RAID & HBA)				
Boot mode: UEFI	$\checkmark$	✓	✓	
Boot mode: Legacy	$\checkmark$	✓	✓	
SSD Accelerator	Smart Path	Smart Path	Smart Path	
HPE Smart Array SR	Optional	Optional	Optional	
Secure Encryption (license)				
SSD Caching				
FIPS 140-2 Level 1				
HPE OneView Support	$\checkmark$	✓	✓	
Kit contents	controller, documentation information card, and warranty statement	Controller, documentation information card, warranty statement, and low-profile bracket	Controller, documentation information card, warranty statement, and low-profile bracket	

## Compatibility

## **Operating System Support**

- Microsoft Windows Server
- Red Hat Enterprise Linux (RHEL)
- SUSE Linux Enterprise Server (SLES)
- VMware ESXi
- Canonical Ubuntu
- CentOS
- ClearOS

**Notes:** HPE Smart Array controllers are supported by the server operating system. Please also see the server operating system compatibility. For more information on HPE's server operating systems and virtualization software, please visit: <a href="http://www.hpe.com/info/ossupport">http://www.hpe.com/info/ossupport</a>

## Storage Management Software Suite

#### HPE Smart Array SR Gen10 Controllers

- HPE Smart Storage Administrator (SSA) GUI
- HPE Smart Storage Administrator (SSA) CLI
- HPE Smart Storage Administrator (SSA) Scripting
- HPE Intelligent Provisioning
- UEFI System Utilities (storage configuration)
- UEFI Storage RESTful

**Notes:** For additional information see the HPE Smart Array SR Gen10 Configuration Guide at: <u>http://www.hpe.com/info/SmartArrayGen10-docs</u>

## Compatibility

## **Disk Enclosure Support**

#### E208e-p SR Gen10 Controller (804398-B21)

- HPE D3610 Disk Enclosure
- HPE D3710 Disk Enclosure
- HPE D6020 Disk Enclosure
- HPE MSA 1040 SAN Storage
- HPE MSA 1050 SAN Storage
- HPE MSA 2040 SAN Storage
- HPE MSA 2050 SAN Storage

### P408e-p SR Gen10 Controller (804405-B21)

- HPE D3610 Disk Enclosure
- HPE D3710 Disk Enclosure
- HPE D6020 Disk Enclosure

**Notes:** For Disk Enclosures, including but not limited to, some expanders do not scan the drives on time for the controller to discover them. To prevent the logical device from being marked as failed once the controller is up, users need to configure the expander's minimum scan duration setting. This setting instructs the controller to wait for a specified number of seconds to scan and discover drives attached to the expander during the next power cycle. The setting can be found in the following menu path: "RBSU > System Utilities > System Configuration > HPE Smart Array E208e-p SR Gen10 > Configure Controller Settings > Modify Expander Minimum Scan Duration (Seconds)."

## Additional Information HPE Smart Array SR Gen10 Controllers

For additional information on the features for HPE Smart Array SR Gen10 Controllers, please see the HPE Smart Array SR Gen10 User Guide, HPE Smart Array SR Gen10 Configuration Guide, and HPE Smart Array SR Secure Encryption Installation and User Guide at: <u>http://www.hpe.com/info/SmartArrayGen10-docs</u>

## Service and Support

## **HPE Services**

No matter where you are in your digital transformation journey, you can count on HPE Services to deliver the expertise you need when, where and how you need it. From planning to deployment, ongoing operations and beyond, our experts can help you realize your digital ambitions.

#### https://www.hpe.com/services

#### **Consulting Services**

No matter where you are in your journey to hybrid cloud, experts can help you map out your next steps. From determining what workloads should live where, to handling governance and compliance, to managing costs, our experts can help you optimize your operations.

#### https://www.hpe.com/services/consulting

#### HPE Managed Services

HPE runs your IT operations, providing services that monitor, operate, and optimize your infrastructure and applications, delivered consistently and globally to give you unified control and let you focus on innovation.

#### <u>HPE Managed Services | HPE</u>

### **Operational services**

Optimize your entire IT environment and drive innovation. Manage day-to-day IT operational tasks while freeing up valuable time and resources. Meet service-level targets and business objectives with features designed to drive better business outcomes. https://www.hpe.com/services/operational

### **HPE Complete Care Service**

HPE Complete Care Service is a modular, edge-to-cloud IT environment service designed to help optimize your entire IT environment and achieve agreed upon IT outcomes and business goals through a personalized experience. All delivered by an assigned team of HPE Services experts. HPE Complete Care Service provides:

- A complete coverage approach -- edge to cloud
- An assigned HPE team
- Modular and fully personalized engagement
- Enhanced Incident Management experience with priority access
- Digitally enabled and AI driven customer experience

#### https://www.hpe.com/services/completecare

#### HPE Tech Care Service

HPE Tech Care Service is the operational support service experience for HPE products. The service goes beyond traditional support by providing access to product specific experts, an AI driven digital experience, and general technical guidance to not only reduce risk but constantly search for ways to do things better. HPE Tech Care Service delivers a customer-centric, AI driven, and digitally enabled customer experience to move your business forward. HPE Tech Care Service is available in three response levels. Basic, which provides 9x5 business hour availability and a 2-hour response time. Essential which provides a 15-minute response time 24x7 for most enterprise level customers, and Critical which includes a 6-hour repair commitment where available and outage management response for severity 1 incidents.

#### https://www.hpe.com/services/techcare

## Service and Support

## **HPE Lifecycle Services**

HPE Lifecycle Services provide a variety of options to help maintain your HPE systems and solutions at all stages of the product lifecycle. A few popular examples include:

- Lifecycle Install and Startup Services: Various levels for physical installation and power on, remote access setup, installation and startup, and enhanced installation services with the operating system.
- HPE Firmware Update Analysis Service: Recommendations for firmware revision levels for selected HPE products, taking into account the relevant revision dependencies within your IT environment.
- HPE Firmware Update Implementation Service: Implementation of firmware updates for selected HPE server, storage, and solution products, taking into account the relevant revision dependencies within your IT environment.
- Implementation assistance services: Highly trained technical service specialists to assist you with a variety of activities, ranging from design, implementation, and platform deployment to consolidation, migration, project management, and onsite technical forums.
- HPE Service Credits: Access to prepaid services for flexibility to choose from a variety of specialized service activities, including assessments, performance maintenance reviews, firmware management, professional services, and operational best practices.

#### **Notes:** To review the list of Lifecycle Services available for your product go to:

### https://www.hpe.com/services/lifecycle

For a list of the most frequently purchased services using service credits, see the HPE Service Credits Menu

## Other Related Services from HPE Services:

### **HPE Education Services**

Training and certification designed for IT and business professionals across all industries. Broad catalogue of course offerings to expand skills and proficiencies in topics ranging from cloud and cybersecurity to AI and DevOps. Create learning paths to expand proficiency in a specific subject. Schedule training in a way that works best for your business with flexible continuous learning options.

#### https://www.hpe.com/services/training

### **Defective Media Retention**

An option available with HPE Complete Care Service and HPE Tech Care Service and applies only to Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and services options.

### **Parts and Materials**

HPE will provide HPE-supported replacement parts and materials necessary to maintain the covered hardware product in operating condition, including parts and materials for available and recommended engineering improvements.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

### How to Purchase Services

Services are sold by Hewlett Packard Enterprise and Hewlett Packard Enterprise Authorized Service Partners:

- Services for customers purchasing from HPE or an enterprise reseller are quoted using HPE order configuration tools.
- Customers purchasing from a commercial reseller can find services at https://ssc.hpe.com/portal/site/ssc/

## Service and Support

### Al Powered and Digitally Enabled Support Experience

Achieve faster time to resolution with access to product-specific resources and expertise through a digital and data driven customer experience

Sign into the HPE Support Center experience, featuring streamlined self-serve case creation and management capabilities with inline knowledge recommendations. You will also find personalized task alerts and powerful troubleshooting support through an intelligent virtual agent with seamless transition when needed to a live support agent.

#### https://support.hpe.com/hpesc/public/home/signin

## **Consume IT On Your Terms**

<u>HPE GreenLake</u> edge-to-cloud platform brings the cloud experience directly to your apps and data wherever they are—the edge, colocations, or your data center. It delivers cloud services for on-premises IT infrastructure specifically tailored to your most demanding workloads. With a pay-per-use, scalable, point-and-click self-service experience that is managed for you, HPE GreenLake edge-to-cloud platform accelerates digital transformation in a distributed, edge-to-cloud world.

- Get faster time to market
- Save on TCO, align costs to business
- Scale quickly, meet unpredictable demand
- Simplify IT operations across your data centers and clouds

To learn more about HPE Services, please contact your Hewlett Packard Enterprise sales representative or Hewlett Packard Enterprise Authorized Channel Partner. Contact information for a representative in your area can be found at "Contact HPE" <u>https://www.hpe.com/us/en/contact-hpe.html</u>

For more information http://www.hpe.com/services

## **Related Options**

## HPE Smart Array SR SmartCache

HPE Smart Array SR SmartCache (Single Key/Single Server) LTU

#### Single-Server License

Used to purchase a license for one server.

Contains one license per server, a printed license entitlement certificate, end user license agreement, and license key installation card **delivered via physical shipment**. The license entitlement certificate must be redeemed online or via fax in order to obtain the license activation key(s). Include one year of 24x7 HPE Software Technical Support Services.

#### Flexible-Quantity License

Used to purchase multiple licenses with a single activation key.

Contains license(s) for a customer defined quantity of servers, a license entitlement certificate for the quantity of licenses purchased, end user license agreement, and license key installation card **delivered via physical shipment**. The license entitlement certificate must be redeemed online or via fax in order to obtain the license activation key(s). Include one year of 24x7 HPE Software Technical Support Services.

#### Flexible-Quantity Electronic License

Used to purchase multiple licenses with a single activation key.

Contains license(s) for a customer defined quantity of servers, a license entitlement certificate for the quantity of licenses purchased, end user license agreement, and license key installation information **delivered via e-mail**. The license entitlement certificate must be redeemed online or via fax in order to obtain the license activation key(s). Include one year of 24x7 HPE Software Technical Support Services.

Notes: For more information please visit: http://www.hpe.com/servers/smartcache

#### HPE Smart Array SR Secure Encryption

HPE Smart Array SR Secure Encryption (Data at Rest Encryption/per Server Entitlement) E-LTU	Q2F26AAE
---	----------

**Notes:** HPE Smart Array SR Secure Encryption licensing is based on the number of servers requiring encryption for direct attached storage.

**Notes:** For more information visit: <u>http://www.hpe.com/servers/secureencryption</u> or see the HPE Smart Array SR Secure Encryption Installation and User Guide at: <u>http://www.hpe.com/info/SmartArrayGen10-docs</u>.

HPE 96W Smart Storage Lithium-ion Battery with 145mm Cable Kit

HPE 96W Smart Storage Lithium-ion Battery with 260mm Cable Kit

**Notes:** Smart Array Gen10 controllers are supported by the HPE Smart Storage Battery. This battery supports multiple devices and is sold separately.

Notes: See server QuickSpecs for compatibility.

#### HPE Smart Storage Hybrid Capacitor

HPE Smart Storage Hybrid Capacitor with 145mm Cable Kit	P02377-B21
HPE Smart Storage Hybrid Capacitor with 260mm Cable Kit	P02381-B21

**Notes:** The HPE Smart Storage Hybrid Capacitor is only supported on Gen10 servers or later.

Before installing the HPE Smart Storage Hybrid Capacitor, verify that the system BIOS meets the minimum firmware requirements to support the hybrid capacitor module.

D7S26A

P01366-B21

P01367-B21

# Summary of Changes

Date	Version History	Action	Description of Change
01-Apr-2024	Version 9	Changed	Related Options & Compatibility Sections were updated
04-Dec-2023	Version 8	Changed	Service and Support Section was updated
11-Sep-2023	Version 7	Changed	Related Options & Compatibility Sections were updated
15-Nov-2021	Version 6	Changed	Service and Support Section was updated
07-Oct-2019	Version 5	Changed	Standard Features Section was updated
15-Jul-2019	Version 4	Added	Standard Features section was updated
02-Apr-2019	Version 3	Changed	Related Options & Compatibility Sections were updated
01-Oct-2018	Version 2	Changed	Overview were revised.
04-Sep-2018	Version 1	New	New QuickSpecs

# Copyright

Make the right purchase decision. Contact our presales specialists.

	Chat now (sales)
$\bigcirc$	Call now
	Get updates

Hewle	ett Packard
Enterp	orise

© Copyright 2024 Hewlett Packard Enterprise Development L.P. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

a00047736enw - 16273 - Worldwide - V9 - 01-April-2024